




























**FANUC**

► FANUC - POWER FEED CONTACT









Image	Item No.	Original No.	Description	Application
	F101	A290-8021-X765	Guide diamond upper D=0.205 mm	O.P.Q.R.T.W series Upper
		A290-8021-X766	Guide diamond upper D=0.255 mm	
		A290-8021-X767	Guide diamond upper D=0.305 mm	
	F102	A290-8021-X775	Guide diamond lower D=0.205 mm	O.P.Q.R.T.W series Lower
		A290-8021-X776	Guide diamond lower D=0.255 mm	
		A290-8021-X777	Guide diamond lower D=0.305 mm	
	F102T	A290-8021-Y775	Guide diamond lower D=0.205 mm	O.P.Q.R.T series Manual for taper
		A290-8021-Y776	Guide diamond lower D=0.255 mm	
		A290-8021-Y777	Guide diamond lower D=0.305 mm	
	F103	A290-8032-X775	Guide diamond upper D=0.205 mm	T.W series AWF Upper
		A290-8032-X776	Guide diamond upper D=0.255 mm	
		A290-8032-X777	Guide diamond upper D=0.305 mm	
	F103T	A290-8032-Y765	Guide diamond upper D=0.205 mm	O.P.Q.R series Manual for taper
		A290-8032-Y766	Guide diamond upper D=0.255 mm	
		A290-8032-Y767	Guide diamond upper D=0.305 mm	
	F104	A290-8032-X735	Guide diamond lower D=0.205 mm	T.W series AWF Lower
		A290-8032-X736	Guide diamond lower D=0.255 mm	
		A290-8032-X737	Guide diamond lower D=0.305 mm	
	F104T	A290-8032-X765	Guide diamond lower D=0.205 mm	T.W series Manual for taper 30Gr.
		A290-8032-X766	Guide diamond lower D=0.255 mm	
		A290-8032-X767	Guide diamond lower D=0.305 mm	
	F105	A290-8018-X443	Guide diamond lower D=0.205 mm	K.M.N.L series AWF
		A290-8018-X444	Guide diamond lower D=0.255 mm	
		A290-8018-X445	Guide diamond lower D=0.305 mm	
	F106	A290-8011-X833	Guide diamond upper & lower D=0.205 mm	K.M.N.L series Manual
		A290-8011-X834	Guide diamond upper & lower D=0.255 mm	

		A290-8011-X835	Guide diamond upper & lower D=0.305 mm	
	F108	A290-8011-X753	Guide diamond upper & lower D=0.205 mm	K.M.N.L series Manual
		A290-8011-X754	Guide diamond upper & lower D=0.255 mm	
		A290-8011-X755	Guide diamond upper & lower D=0.305 mm	
	F110	A290-8101-X733	Guide diamond upper D=0.205 mm	Alpha-A.B.C.iA.iB Manual Upper
		A290-8101-X734	Guide diamond upper D=0.255 mm	
		A290-8101-X735	Guide diamond upper D=0.305 mm	
	F110T	A290-8103-X705	Guide diamond upper D=0.205 mm	Alpha-A.B.C.iA.iB Manual for taper 45Gr
		A290-8103-X706	Guide diamond upper D=0.255 mm	
		A290-8103-X707	Guide diamond upper D=0.305 mm	
	F111	A290-8101-X743	Guide diamond lower D=0.205 mm	Alpha-A.B.C.iA.iB Manual Lower
		A290-8101-X744	Guide diamond lower D=0.255 mm	
		A290-8101-X745	Guide diamond lower D=0.305 mm	
	F111T	A290-8109-X715	Guide diamond lower D=0.205 mm	Alpha-A.B.C.iA.iB Manual for taper 45Gr
		A290-8109-X716	Guide diamond lower D=0.255 mm	
		A290-8109-X717	Guide diamond lower D=0.305 mm	
	F112	A290-8092-X705	Wire guide upper D=0.205 mm	Alpha-A.B.C.iA.iB AWF Upper
		A290-8092-X706	Wire guide upper D=0.255 mm	
		A290-8092-X707	Wire guide upper D=0.305 mm	
	F112T	A290-8104-X705	Wire guide upper D=0.205 mm	Alpha-A.B.C.iA.iB A WF for taper 45Gr
		A290-8104-X706	Wire guide upper D=0.255 mm	
		A290-8104-X707	Wire guide upper D=0.305 mm	
	F113	A290-8110-X715	Wire guide lower D=0.205 mm	Alpha-A.B.C.iA.iB AWF Lower
		A290-8110-X716	Wire guide lower D=0.255 mm	
		A290-8110-X717	Wire guide lower D=0.305 mm	
	F113T	A290-8110-Z715	Wire guide lower D=0.205 mm	Alpha-A.B.C.iA.iB AWF for taper 45Gr
		A290-8110-Z716	Wire guide lower D=0.255 mm	
		A290-8110-Z717	Wire guide lower D=0.305 mm	
	F114	A290-8104-Y705	Wire guide upper D=0.202 mm	Alpha-A.B.C.iA.iB WF
		A290-8104-Y706	Wire guide upper D=0.252 mm	
		A290-8104-Y707	Wire guide upper D=0.302 mm	
	F115	A290-8110-Y715	Wire guide lower D=0.202 mm	Alpha-A.B.C.iA.iB AWF
		A290-8110-Y716	Wire guide lower D=0.252 mm	

	F120	A290-8110-Y717	Wire guide lower D=0.302 mm	
	F124	A290-8110-Y774	Sus Guide uppr D=1.0mm	Alpha-A.B.C.iA.iB AWF
	F125-1	A290-8102-Y756	Jet nozzle upper ceramic insert D=1.50 mm	Alpha-A.B.C.iA.iB AWF
	F125-2	A290-8102-Y757	Jet nozzle lower ceramic insert D=0.5 mm	Alpha-A.B.C.iA.iB AWF
	F126	A290-8102-X723	Nozzle base upper D=58 mm x 19 mmL - 4 screw holes	Alpha-A.B series AWF
	F127	A290-8110-Y723	Nozzle base upper D=58 mm x 19 mmL - 5 screw holes	Alpha-C.iA.iC series AWF
	F128	A290-8104-X620 A290-8104-X621	Guide 0.3 & 0.5	
	F129		Jet nozzle D=1.5 & 2.0mm	
	F140	A290-8021-Y701	V ditch guide D=6 x12x8(Sapphire roller)	
	F140-1	A290-8021-Y702	Shaft D=10x19.5	

## FANUC

### ► FANUC - POWER FEED CONTACT

Image	Item No.	Original No.	Description	Application
	F001	A97L-0001-0664	Power feed contact lower OD25 x ID9 x 10 mmT	E.H.K.L.M series
	F002	A97L-0126-0001	Power feed contact upper & lower OD16 x ID6 x 6.3 mmT	O.P.Q.R.T.W series
	F003	A290-8008-X107	Power feed contact upper & lower OD8 x ID4 x 10 mmT	K.N.M series
	F004	A290-8032-Z882	Power feed contact grooved upper & lower OD16 x ID6 x 6.3 mmT	W1...4 series AWF
	F005	A290-8101-X750	Power feeder contact upper & lower 2.8 mmT x 7.7 mmW x 23 mmL	Alpha-A.B series Manual/AWF
	F006	A290-8110-X750	Power feed contact upper & lower 4 x 12 x 23 mm - normal type	Alpha.C.iA.iBseries Manual/AWF
	F006L	A290-8110-X750	Power feed contact upper & lower 4 x 12 x 30 mm - long length / special type	Alpha-C.iA.iB series Manual/AWF
	F006-4	A290-8110-Z780	Power feed contact upper & lower 4 x 10 x 26 mm	Alpha-IiD Manual/AWF
	F007	A290-8048-X759	Power feed contact upper OD15 x ID6 x 6 mmT	W0 type

## FANUC

### ▶ FANUC - WATER NOZZLE









Image	Item No.	Original No.	Description	Application
	F201	A290-8021-Y745	Water nozzle upper & lower D=3.0mm, 4.0mm, 5.5mm	O.P.Q.R.T.W series Manual
	F202	A290-8021-Y705	Water nozzle lower D=3.0mm, 4.0mm, 5.5mm	O.P.Q.R.T.W series Manual
	F204	A290-8037-X879	Water nozzle lower D=5.5 mm	W-1....4 series AWF
	F205	A290-8032-Y611	Water nozzle upper D=5.5 mm	W-1....4 series AWF
	F206	A290-8021-V722	Water nozzle cap upper & lower for F201.F202 Stainless material	O.P.Q.R.T.W series
	F206-2		Slide shaft for wire guide	O.P.Q.R.T.W series
	F206-Set		Nozzle holder assembly	O.P.Q.R.T.W series
	F207	A290-8048-X771	Water nozzle upper D=7.0 mm D=24 x 17 mmT	W-0 Manual

	F208	A290-8048-X772	Water nozzle lower D=7.0 mm D=26 x 17 mmT	W-0 Manual
	F209	A290-8111-X772	Nozzle upper D=2 mm x 38 mmT	Alpha-A.B.C.iA.iB Manual
		A290-8111-X774	Nozzle upper D=4 mm x 38 mmT	
		A290-8101-X776	Nozzle upper D=6.5 mm x 38 mmT	
		A290-8101-X777	Nozzle upper D=11 mm x 38 mmT	
	F210	A290-8101-X755	Nozzle holder lower D=4/16 x 23 mmT	Alpha-A.B.C.iA.iB Manual
	F211	A290-8103-X774	Nozzle lower D=2.0 mm	Alpha-A.B.C.iA.iB Manual
		A290-8101-X774	Nozzle standard lower D=4.0 mm	
			Nozzle lower manual D=10.0mm	
		A290-8101-X756	Nozzle lower D=6.5 mm	
	F212	A290-8104-X775	Nozzle upper D=2.0 mm x 23.4 mmT	Alpha-A.B.C.iA.iB AWF
		A290-8102-X751	Nozzle upper standard D=6.5 mm x 23.5 mmT	
	F213	A290-8104-X774	Nozzle lower D=2 mm x 24 mmT	Alpha-A.B.C.iA.iB AWF
		A290-8102-X771	Nozzle lower standard D=6.5 mm x 25 mmT	
	F214	A290-8102-X775	Nozzle upper D=4.0 mm	Alpha-A.B.C.iA.iB AWF
	F215	A290-8102-X774	Nozzle lower D=4.0 mm	Alpha-A.B.C.iA.iB AWF
	F216	A290-8102-X752	Nozzle upper D=12 mm	Alpha-A.B.C.iA.iB AWF

	F217	A290-8102-X772	Nozzle lower D=12 mm	Alpha-A.B.C.iA.iB AWF
	F218	A290-8109-X776	Water nozzle upper D=6.5 mm	Alpha-0C.iCi series Manual
	F219		Nozzle lower D=4 mm	Alpha iE
	F220		Nozzle lower D=5 mm	Alpha iE
	F221		Nozzle lower D=6 mm	Alpha iE











## FANUC

### ► FANUC - CONNECTED PARTS



Image	Item No.	Original No.	Description	Application
	F301	A290-8005-X722	Isolation plate lower	O.P.Q.R.W.L series Manual
	F302	A290-8021-X709	Isolation plate lower	O.P.Q.R.T.W series
	F303	A290-8032-X334	Isolation plate lower	W series AWF
	F303W	A290-8012-X722	Isolation plate lower L= 56 x 73 x 10 mmT	W series semi-AWF
	F304	A290-8021-X602	Isolation plate upper 51 x 33 x 29 mm	O.P.Q.R.W series
	F304A	A290-8037-X692	Isolation plate upper 51 x 31 x 30 mm	W0
	F305	A290-8101-X509	Isolation plate upper 40 x 40 x 34 mm	Alpha-A.B series
	F305-1	A290-8102-600	Guide base upper 70 x 27 x 48 mm	Alpha-B series AWF



	F305-2	A290-8110-X600	Guide base upper 70 x 27 x 35 mm	Alpha-iB series AWF
	F306	A290-8101-X312	Isolation plate lower D=72 x 15 mm	Alpha-A.B.C series
	F306-1		Isolator plate lower (10mmT)	
	F307	A290-8101-X761	Guide base lower 75 x 56 x 66 mm	Alpha-A.B series
	F307-1	A290-8101-X761	Guide base lower	Alpha-C series
	F307-2	A290-8110-Y761	Guide base lower	Alpha-iA.iB.iC series
	F307-3	A290-8110-Y761	Guide base lower	Alpha-iA.iB.iC series
	307C	A290-8102-X393	Base cover	Alpha-A.C
	F321		Isolator plate WO upper D=64 x42*23t	





	F322		Isolator plate WO lower D=56x43x15t	
	F323	A290-8110-X600	Isolating block D=27x70x35t	Alpha
	F324	A290-8102-X600	Isolating block D=27x70x48t	Alpha -A.B
	F400	A97L-0001-0670	Bearing 1260Z for F401 & F402	W series
	F401	A290-8004-X713	Wire sub roller stainless type OD49 x ID6.5 x 6 mm	W series
	F401-1	A970-0124-X002	Axle for F401 or F401C	W series
	F-401-3	A970-0124-X003	Nut for wire sub roller F401	
	F401C	A290-8004-X713	Wire sub roller ceramic type OD49 x ID6.5 x 6 mm	W series
	F401-Set	A290-8004-V316	Wire sub roller stainless type full set with axis & bearing	W series
	F401C-Set	A290-8004-V316	Wire sub roller ceramic type full set with axis & bearing	W series

	F402	A290-8006-X707	Wire sub roller stainless type OD64 x ID6.5 x 6 mm	W series
	F402-Set		Wire sub roller set	
	F402C	A290-8006-X707	Wire sub roller stainless type OD64 x ID6.5 x 6 mm ceramic type	
	F402C-Set		Wire sub roller ceramic set with bearing	
	F403	A290-8103-X762	Guide base lower stainless type 40 x 40 x 25 mm	Alpha-A.B series
	F404	A290-8110-X770	Lower guide block A stainless 59.5 x 49 x 20 mm	Alpha-A.C series AWF/Mauual
	F404-1	A290-8101-X765	Sub roller stainless 38 x 22 x 12 mm	Alpha-A.B.C series
	F404-1C	A290-8101-X765	Lower ceramic roller 38 x 22 x 12 mm	Alpha-A.B.C.iA.iB
	F405	A290-8101-X394	Feed guide plastic material 13 x 20 x 19 mm	Alpha-A.B.C series AWF/Mauual
	F406	A290-8110-Z382	Pinch roller ceramic D=40 x 20 x 18 mm	Alpha-A.B series AWF/Mauual


	F407	A290-8110-Z383	Feed roller ceramic D=40 x 20 x 19 mm	Alpha-A.B series AWF/MauaI
	F408	A290-8102-X393	Feed wire guide polycarbonate 57 x 20 x 20 mm	Alpha-A.B.C series AWF/MauaI
	F409	A290-8101-X371	Brake shoe upper D=138 x 22 mm	Alpha-A.B.C.iA.iB series AWF/MauaI
	F409i	A290-8111-X371	Brake shoe upper	Alpha
	F409W	A290-8011-V352	Brake shoe upper	O.P.Q.T.W series
	F409WO	A290-8039-V352	Brake shoe upper	W0 (AWF) series
	F410	A290-8110-X382	Pinch roller ceramic D=40 x 12 30 mm	Alpha-C series AWF/MauaI
	F411	A290-8110-X383	Feed roller ceramic D=40 x 12 30 mm	Alpha-C series AWF/MauaI
	F412	A290-8110-X762	Guide base lower stainless type 46 x 40 x 24.5 mm	Alpha-C.iA.iB series AWF/MauaI
	F413	A290-8112-X382	Pinch roller D=80 x 22 mm	Alpha-0iA.1iA.0iB.1iB AWF/MauaI

	F414	A290-8112-X383	Feed roller D=80 x 22 mm	Alpha-0iA.1iA.0iB.1iB AWF/Mauai
	F415	A290-8037-X331	Pinch roller D=80 mm	O.P.Q.T.W series
	F415C		Pinch roller ceramic type D=80/28x18mmW	
	F416	A290-8037-X330	Feed roller D=80 mm	O.P.Q.T.W series
	F416C		Pinch roller ceramic type D=80/11x24mmW	
	F417	A290-8037-X805	Pinch roller D=60 mm	W0 AWF
	F418	A290-8037-X806	Feed roller D=60 mm	W0 AWF
	F419		Ceramic roller upper D=23/12x12mmW	W3 Semi-auto
	F420	A290-8032-V742	Ceramic pulley	
	F421		SUS Roller for WO D=35x17x12mm	
	F421-1		Shaft	

	F421-2		Bearing	
	F422		Roller lower 40x14x12t	
	F423		Roller lower 38x14x12t	
	F501	A97L-0001-0670	DRF2280H Lower bearing for F404-1. F404-1C 25 x 7 x 8 mm	Alpha-0iA.1iA.0iB.1iB AWF/Mauul
	F502	A97L-0201-0369	SS6001LLU Lower bearing for F406.F410	Alpha-A.B.C series
	F503	A97L-0201-0369	SS6203LLU Lower bearing	Alpha-A.B series
	F504	A97L-0201-0910	Bearing SS6003LLU	Alpha-A.B series
	F505	A290-8110-X751	Screw upper	Alpha-A,B
	F506	A290-8112-x752	Screw lower	Alpha-C
	F507	A290-8102-X657	Cutting electrode	Alpha-A.C

	F508	A98L-0001-0973	V- packing D=6 inch	Alpha-1iA
	F509	A98L-0001-0972	V- packing D=4 inch	Alpha-0iA, 0iB
	F510	A290-8102-X656	Chuck	
	F511	A971-0201-0911	Bearing SS6807LLU (for F413)	$\alpha$ -iA,IB,iC,iD
	F512	A290-8021-X602	Cutter spring 38x20x13	Alpha-A
	F513	A290-8102-X684	Cutter spring 38x20x9	Alpha-iC type
	F514	A290-8110-X721	Block	Alpha-C
	F514-1	A290-8102-X722	Die guide base upper	
	F515		Block	
	F516	A290-8102-X722	Die guide base upper	

E-mail: [office@ofekil.com](mailto:office@ofekil.com)  
 כתובת: קיבוץ דפנה 1223500  
 ת.ד. 294 ישראל

	F517		Bobbin scrap	
	F518	A290-8102-X721	Block upper	