



► MITSUBISHI - WIRE GUIDE

Image	Item No.	Original No.	Description	Application
	M101-1	X053C082G51	Diamond guide upper & lower D=0.205 mm	DWC-N.F Manual
		X053C082G56	Diamond guide upper & lower D=0.255 mm	
		X053C082G65	Diamond guide upper & lower D=0.305 mm	
	M101-2	X052B040G64	Diamond guide upper & lower D=0.205 mm	DWC-F1.G Manual
		X052B040G65	Diamond guide upper & lower D=0.255 mm	
		X052B040G66	Diamond guide upper & lower D=0.305 mm	
	M102	X053C188G54	Diamond guide lower D=0.21 mm	DWC-F1.G - SK1 DWC-H.H' - SK1.SK2
		X053C188G55	Diamond guide lower D=0.26 mm	
		X053C188G56	Diamond guide lower D=0.31 mm	
	M103	X052B054G53	Diamond guide upper & lower D=0.205 mm	DWC-HA.H1.C.H series Manual
		X052B054G54	Diamond guide upper & lower D=0.255 mm	
		X052B054G55	Diamond guide upper & lower D=0.305 mm	
	M104	X052B092G54	Diamond guide lower D=0.21 mm	DWC-H' series SK3
		X052B092G55	Diamond guide lower D=0.26 mm	
		X052B092G56	Diamond guide lower D=0.31 mm	
	M105	X053C137G64	Diamond guide upper D=0.21 mm	DWC-F.F1.G SK1
		X053C137G65	Diamond guide upper D=0.26 mm	
		X053C137G66	Diamond guide upper D=0.31 mm	
	M105-1	X054D190H03	Set pipe upper for C137G L=50 mmL	DWC-F.F1.G Manual.AF
	M106	X052B102G53	Diamond guide upper D=0.205 mm	DWC-H.H' series SK1
		X052B102G54	Diamond guide upper D=0.255 mm	
		X052B102G55	Diamond guide upper D=0.305 mm	












	M106-1	X053C431G51	Diamond double guide upper D=0.205 mm	SK2--H'.H.G series SK3--H' series
		X053C431G52	Diamond double guide upper D=0.205 mm	
		X053C431G53	Diamond double guide upper D=0.205 mm	
	M107	X052B123G53	Diamond guide upper D=0.205 mm	DWC-A.B.HA.H1.Z AF1
		X052B123G54	Diamond guide upper D=0.255 mm	
		X052B123G56	Diamond guide upper D=0.305 mm	
	M107-1	X052B240G52	Guide upper with hole-ceramic D=0.205 mm	DWC-A.B.HA.H1.Z AF1
		X052B240G53	Guide upper with hole-ceramic D=0.255 mm	
		X052B240G54	Guide upper with hole-ceramic D=0.305 mm	
	M108	X054D162G54	Set screw upper D=0.4 mm	DWC-F.F1G.N series Manual.AF
	M109	X054D171G54	Die guide A upper D=0.4 mm	DWC-G.F.F1.H.H' SK1.SK2.SK3.AF
	M110	X053C136G52	Eccentric center dies upper D=0.4 mm	DWC-F.F1.G  SK1.AF
		X053C136G54	Eccentric center dies upper D=0.6 mm	
	M111	X053C245H02	Die holder for power feed contact upper & lower	G.H.H'.H1.C.HA.CA.SA.SB.SZ SK3.AF.AF1. Manual type
	M112	X053C299G51	Eccentric center dies upper	DWC-G.H.H' SK1.SK2.SK3 AF type
	M113	X053C628G51	Set screw lower D=0.4 mm x L=2.5mm	DWC-H1.HA.C.CR.SA.SB.SZ AF1 type
	M114	X053C241G52	Set screw upper & lower D=0.4 mm	DWC-H.H'.HA.SA.SB.SZ.C Manual type
	M117	X052B176G53	Diamond guide lower D=0.205 mm	DWC-SA.SB.HA.H1.SZ.C.CR AF1 type
		X052B176G54	Diamond guide lower D=0.255 mm	
		X052B176G55	Diamond guide lower D=0.305 mm	











	M120	X053C524G51	Set screw upper D=0.4 mm	DWC-SA.SB.HA.H1.SZ AF1 type
	M122	X053C012G54	Wire guide upper & lower D=0.21 mm	DWC-70.90.110.200 Manual.AF
		X053C012G56	Wire guide upper & lower D=0.26 mm	
		X053C012G57	Wire guide upper & lower D=0.31 mm	
	M124	X053C104G54	Diamond guide lower D=0.205 mm	DWC-F series SK1.AF
		X053C104G55	Diamond guide lower D=0.255 mm	
		X053C104G56	Diamond guide lower D=0.305 mm	
	M125	X053C153G55	Sub guide upper D=0.4 mm	DWC-F.F1.G.H SK1.SK2.SK3 AF type
	M126	X053C508G51	Sub dies guide B upper D=0.35 mm	DWC-H1.HA.SA.SB.SZ AF1 type
	M127	X053C557G51	Sub dies A D=0.5	DWC-H1.HA.SA.SB.SZ AF2 type
	M128	X054D990H01	Contact power feeder	SZ
	M129C	X054D826H06	Jet nozzle D=0.5 mm OD=23 x L=21 mm	DWC-HA.SA.SB.SZ.SX.QA.RA. FA. series (AF2/AF3/AT)
		X054D826H02	Jet nozzle D=1.0 mm OD=23 x L=21 mm	
		X058D054H02 X054D826H01	Jet nozzle D=1.5 mm OD=23 x L=21 mm	
	M129	X054D826H02	Jet nozzle D=0.5mm/ Stainless + Ceramic	DWC-HA.SA.SB.SZ,SX CX,FX,QA,RA,FA
		X054D826H04	Jet nozzle D=1.0mm/ Stainless + Ceramic	
		X054D826H01	Jet nozzle D=1.5mm/ Stainless + Ceramic	
	M129-1		Spring	
	M129-2		O-ring for M129C & M129A	DWC-HA.SA.SB.SZ.SX.CX.FX.QA (AF2/3 type)





	M130	S684D823P14	Jet nozzle D=1.0mm	DWC-H1.HA.SA.SB.SZ AF1 type
		S684D898P61	Jet nozzle D=1.5mm	
	M130C	S684D823P13	Jet nozzle D=0.5 mm	DWC-H1.HA.SA.SB.SZ. series AF1 type
		S684D823P14	Jet nozzle D=1.0 mm	
		S684D898P61	Jet nozzle D=1.5 mm	
	M131	X177B558H02	Sub dies holder upper	DWC-H1.HA.SA.SB.SZ AF1 type
	M132	X053C834G53	Guide upper D=0.205 mm	PX05.QA.SX.PA.HA---AF2 CX.FX.FX-K---AF3
		X053C834G54	Guide guide upper D=0.255 mm	
		X053C834G55	Guide upper D=0.305 mm	FA.RA series AT type
		X056C833G51	Diamond guide upper D=0.21 mm	
		X056C833G52	Diamond guide upper D=0.26 mm	
	M133	X056C833G53	Diamond guide upper D=0.31 mm	PX05.QA.SX.PA.HA--- AF2 CX.FX.FX-K--- AF3
		X052B243G61	Guide lower D=0.205 mm	
		X052B243G65	Guide lower D=0.255 mm	
		X052B243G62	Guide lower D=0.305 mm	FA.RA series AT type
		X052B387G51	Diamond guide lower D=0.21 mm	
		X052B387G52	Diamond guide lower D=0.26 mm	
	M134	X204D293H02	Ring lowr	AF2.3
	M135	X054D896G51	Sub dies A for upper D=0.50 mm	FX-K.FX.CX series AF2.AF3 type
	M136	X054D897H01	Holder	CX, FX
	M143	X054D980G51	Guide pipe A	DWC- HA.SZ.SB.SZ.SX AF2 type



	M146	X056C507G51	Guide U upper D=0.40 mm	QA.FX-K AF3 type
	M147	X053C884G52	Guide D lower D=0.40 mm	QA.FX.CX.FK AF3 type
	M148	X056C274G51	Guide U upper D=0.40 mm	FX AF3 type
	M149	X056C846G51	Guide U upper D=0.40 mm	FA.RA AT type
	M150	X053C884G55	Guide D lower D=0.80 mm	FA.RA AT type
	M151	X053C902G51	Guide U	HA,CX.SA,SX
	M152	X056C146G51	Guide U	BA
	M170		Die Drive	CX, SA, SX, FX, FA

► MITSUBISHI - POWER FEED CONTACT

Image	Item No.	Original No.	Description	Application
	M001	X054D125H03	Power feed contact upper & lower D=7 x 22 x 0.7 mm	HA.H1.C.H.G.F1.F.N Manual type
	M002	X054D129H04	Power feed contact lower D=7 x 22 mm	SK2.3.for DWC- H.G SK1 for DWC- F1.F.G HA.SZ.SB



**mitsubishi**

	M003	X054D199H01	Power feed contact upper-B D=2.9 x 0.7 x 16 mm	DWC-G.F1.F series SK1
	M004	X054D216H01	Power feed contact upper-A D=2.9 x 0.7 x 16 mm	DWC-G.F1.F series SK1
	M005	X054D345H02	Power feed contact upper 2.5 x 3 x 27.5 mmL	PA.A.Z.HA.B.H1 --AF1 H.G series --SK2.SK3
	M005G	X054D345H02	Power feed contact upper / Tin-coating 2.5 x 3 x 27.5 mmL	PA.A.Z.HA.B.H1 --AF1 H.G series --SK2.SK3
	M008	X054D186H03	Power feed contact for fine wire option upper & lower 10 x 6 x 8 mm	DWC-H1.HA series Manual fine option
	M009	X056C075H04	Power feed contact upper & lower D=24.5 x 20 mmL	QA.RA.FX.CX.PA.FX-K. HA.A.Z.FA AT.AF2.3 type
	M009N	X056C432H01	Powerfeed contact upper & lower / Non-polished D=24.5 x 20 mmL	QA.RA.FX.CX.PA.FX-K. HA.A.Z.FA AT.AF2.3 type
	M009G	X056C075H01G	Powerfeed contact upper & lower / Tin-coated D=24.5 x 20 mmL	QA.RA.FX.CX.PA.FX-K. HA.A.Z.FA AT.AF2.3 type
	M009-1	X059D448G52	Plastic pin for M009 (Shaft)	QA.RA.FX.CX.PA.FX-K. HA.A.Z.FA AT.AF2.3 type
	M009V	X055C118H02	Power feed contact upper & lower /Non- polished Corner Stright type	FA-V series
	M012	X088D439H01	Power feed contact 5 x 18 x 38 mmL	BA, NA, NA-P series



► MITSUBISHI - WATER NOZZLE




Image	Item No.	Original No.	Description	Application
	M200	X183C443H01	Water nozzle upper D=4.5 mm	DWC-H'.H series -- SK DWC-HA.H1.C.H.90PH--Manual
		X183C443H02	Water nozzle upper D=8 mm	
	M202A	X183C439H01	Water nozzle upper D=4 mm	DWC-H'.H series -- SK DWC-HA.H1.C.H.90PH--Manual
		X183C439H02	Water nozzle upper D=6 mm	
		X183C439H03	Water nozzle upper D=8 mm	
	M202B	X183C439H01	Water nozzle upper D=4.5mm	DWC-H'.H series - SK DWC-HA.H1.C.H.90PH-Manual
	M205LSet		M202 type- special long nozzle set L=20/30/40/50 mmL	DWC-H'.H series - SK DWC-HA.H1.C.H.90PH-Manual
	M207	X053C491H01	Water nozzle lower D=4 mm Plastic + Brass type of M2102	DWC-H'.H series - SK DWC-HA.H1.C.H.90PH-Manual
	M208	X053C491H02	Water nozzle lower D=6 mm Plastic + Brass type of M2102	
	M209	X053C491H03	Water nozzle lower D=8 mm Plastic + Brass type of M2102	
	M210	X053C621H01	Water nozzle lower D=4 mm Plastic + Brass type of M2101	DWC-HA.H1.A.B.Z.PA AF1
		X053C621H02	Water nozzle lower D=6 mm Plastic + Brass type of M2101	AF1,PA,A,HA,Z,H1.B series
		X053C621H03	Water nozzle lower D=8 mm Plastic + Brass type of M2101	AF1,PA,A,HA,Z,H1.B series
	M2101	X053C621H01	Flushing nozzle lower D=4 mm ceramic	DWC-HA.H1.A.B.Z.PA AF1
		X053C621H02	Flushing nozzle lower D=6 mm ceramic	
		X053C621H03	Flushing nozzle lower D=8 mm ceramic	



	M2102	X054D209H11	Flushing nozzle lower D=4 mm ceramic	DWC-G.F1 series-SK DWC-G.F1.90PG-Manual
		X054D209H12	Flushing nozzle lower D=6 mm ceramic	
		X054D209H13	Flushing nozzle lower D=8 mm ceramic	
	M2103	X054D881H03	Nozzle lower D=4 mm ceramic	CX.FX.SX.FA.QA.RA.PX.A HA. PA.FX-K.Z..... (AT.AF2.3) FX10.20..... (AF3)
		X054D881H04	Nozzle lower D=8 mm ceramic	
		X054D881H05	Nozzle lower D=12 mm ceramic	
		X054D881H05	Nozzle lower D=15 mm ceramic	
	M2103-1		Nozzle spring D=20*18	AF type
	M211	X183C378H01	Flushing nozzle upper D=4 mm	PA.A.Z.HA.B.H1 series AF1
		X183C378H03	Flushing nozzle upper D=8 mm	
		X183C378H04	Flushing nozzle upper D=10 mm	
		X183C378H05	Flushing nozzle upper D=12 mm	
	M212	Plastic+Brass type of M2103	Flushing nozzle lower D=4	CX.FX.SX.FA.QA.RA.PX.A HA. PA.FX-K.Z.....(AT.AF2.3) FX10.20..... (AF3)
			Flushing nozzle lower D=6	
			Flushing nozzle lower D=8	
	M215	X186C793H01	Nozzle upper D=4 mm	FA.RA.QA.PX.CX.SX.PA. FX-K.HA.A.Z.B series (AT.AF2/3)
		X186C793H02	Nozzle upper D=8 mm	
		X186C793H03	Nozzle upper D=12 mm	
	M215-1	X186C793H01	Water nozzle OD=73	CX.SX.FX
	M215-2		Water nozzle OD=85	FX, FA
	M215L		Nozzle(M215) long type - upper set D=4 mm L=20.30.40.50 mm	FA.RA.QA.PX.CX.SX.PA. FX-K.HA.A.Z.B series (AT.AF2/3)





	M216	X182B458H02	Flushing nozzle holder upper D=65 mm	FA.RA.QA.PX.CX.SX.PA. FX-K.HA.A.Z.B series (AT.AF2/3)
	M216-1		Flushing nozzle holder upper D=73 mm	FA.RA.QA.PX.CX.SX.PA. FX-K.HA.A.Z.B series (AT.AF2/3)
	M217	X196C451H01	Flushing nozzle upper D=4 mm	FX10.FX20 AF3.
		X196C451H02	Flushing nozzle upper D=8 mm	



**MITSUBISHI - CONNECTED PARTS**

Image	Item No.	Original No.	Description	Application
	M301	X053C162H01	Isolator plate upper for manual taper cut	DWC-H.G.H'.H1.HA.C.F1
	M302	X054D185G51	Isolator plate lower for manual type	DWC-F1.G.H.H'
	M303	X053C228G52	Isolator plate lower for AF.SK1 type	DWC-F1.G.H.H'
	M303-1		Isolator plate	F.G.H SK1,2
	M303-2		Isolator plate	H SK3
	M303-3		Isolator plate	H SK3



**mitsubishi**

	M304	X052B166G51	Isolator plate lower for AF1.AF2 type	DWC-SA.SB.SZ
	M305	X053C443H01	Isolator plate lower for manual.AF type	DWC-110H1.200H1 110HA.200HA
	M306	X053C314H01	Isolator plate lower for manual.AF type	DWC-90H1.90HA.90C
	M307	X056C110G51	Isolator plate lower for AF2.AF3 type	SX.CX
	M308	X056C273G51	Isolator plate lower for manual.AF type	FX10
	M309	X056C356G51	Isolator plate lower for manual.AF type	FX20.FX30
	M310	X056C968G51	Isolator plate lower for AT type	FA10.FX20
	M311		Isolator plate	
	M312		Isolator plate	
	M313		Isolator plate 38x74x4t	AF1
	M314		Isolator plate 51x82x32.5t	AF2 HA/SZ/SB
	M400	X198D838H01	Aspirator lower for AF1.AF2.manual type	DWC-H1.HA.C.SA.SB.SZ



**MITSUBISHI**

	M400-1	X194D998H02	Rectifier ring lower AF1.2.SK3.AT.manual type	H'.H1.HA.SZ.C.SB.SA.SX. CX.FX.QA.RA.FA
	M401	X054D257G51	Pinch roller ceramic D=57 x 18 mmT	DWC-F.F1.G.H.H' -SK1.2
		X058D078G51		CX-AF3 (Beginning)
	M401-1		Roller shaft	
	M402	X054D256G51	Capstan roller ceramic D=57 x 18 mmT	DWC-F.F1.G.H.H' -SK1.2
		X058D077G51		CX-AF3 (Beginning)
	M402-1		Roller shaft for M402C D=12mm	
	M402-2		Shaft cover	90H/H series
	M403	X054D413G51	Pinch roller ceramic D=57 x 25 mmT	H'.H1.HA.SZ.C. series SB .SA series --- (AF1.AF2) 110PH ----- (SK3)
	M403-1		Roller shaft for M403C	
	M403-2		Collection Spring	H,HA,SZ,SA
	M404	X054D412G53	Capstan roller ceramic D=57 x 25 mmT	H'.H1.HA.SZ.C. series SB .SA series --- (AF1.AF2) 110PH ----- (SK3)
	M404-1		Roller shaft D=12x112mm	
	M404-2		Roller shaft D=15x112mm	





	M404-3		Shaft cover	H1,H2,HA series
	M405-Set	X053C779G51	Pinch roller ceramic with gear type D=57 x 32 mmT	H1.C.HA.A.B.Z.SX.110PA Manual.AF type
	M405	X053C779G51	Pinch roller ceramic Without gear D=57 x 32 mmT	H1.C.HA.A.B.Z.SX.110PA Manual.AF type
	M405-1		Roller shaft for M405C	
	M406-Set	X053C778G51	Capstan roller ceramic with gear type D=57 x 32 mmT	H1.C.HA.A.B.Z.SX.110PA Manual.AF type
	M406	X053C778G51	Capstan roller ceramic Without gear D=57 x 32 mmT	H1.C.HA.A.B.Z.SX.110PA Manual.AF type
	M406-1		Roller shaft for 406C=406-1 D=15x117mmL	90HA
	M406-2		Roller shaft D=17x121mm	HA,SX
	M406-3		Roller shaft D=20x15x104mm	SZ
	M406-4		Roller shaft cover D=17mm	
	M407	X058D340G51	Pinch roller ceramic for manual.AF type D=57 x 18 mmT	FX.RA.FX-K series. FA20











**mitsubishi**

	M407-Set		M407C assembly with flange & gear D=57 x 18 mmT	FX.RA.FA20.FX-K
	M408	X058D339G51	Capstan roller ceramic Pinch & Capstan roller set for QA.PX-05 type D=57 x 18 mmT	FX.RA.FX-K series. FA20 QA.PX-05=capstan+pinch
	M408-Set		M408C with flange & gear D=57 x 18 mmT	FX.RA.FA20.FX-K. QA.PX-05=capstan+pinch
	M408-1		Roller shaft D=17x121mm	
	M409	X055C008G51	Pinch roller ceramic D=57 x 25 mmT	FA series AT type
	M409-Set		Pinch roller	
	M409-1		Roller shaft D=12x67mm	
	M410	X055C009G51	Capstan roller ceramic D=57 x 25 mmT	FA series AT type
	M410-Set		Capstan roller	
	M420	X058D501H01	Gear ID=28.0 mm	AF1.2.3.AT C.H1.HA.SA.SB.SZ.SX. RA.FA.
	M420-1	X054D257G51	Gear ID=23.0 mm	FX.FX -K



	M421C	X203C607H03	Lower roller ceramic OD40 x ID20 mm	(AF3.AT) FX.QA.RA.FA.FX-K series
	M421-1		Roller shaft	FX, FA
	M422	P840F000P69	Bearing 608V-stainless for M421.421C	(AF3.AT) FX.QA.RA.FA.FX-K series
	M423	X053C920G51A	Aspirator lower (X053C829G54)	(AF2.AF3.AT) HA.SA.SB.SZ.SX.CX.FX. QA.RA.FA
	M425	X058D912G51	Urethane MT pinch roller upper D=50 mm	RA.FA series AT type
	M426		Urethane roller OD103xID19x32mm (M493)	CX,FX
	M445	X199D297H02	Water cover upper for nozzle (M202.M211) OD200 x ID56 x 2 mmT	H'.H1.H.SA.HA.SB.SZ.C
	M445-2	X179D943H03	Water cover upper for nozzle (M215) for AF2.3.AT OD160 X ID60 X 2mmT	QA.RA.FA.CX.SX.HA.SA SB. FX-K.FX.FX30
	M451	X179D323H02	Cap screw for current block	DWC-N,F,F1,G,H,H',H1,C DWC-HA Manual
	M452	X176C706G02	Die block upper assembly with M451& connected parts	DWC-F1.G.H.H'.H1.C.HA
	M452-1		Plate	



	M453-Set	X176C610H01	Die block lower assembly with M453-2. M453-3	DWC-F1.G.H.H'. Manul/AF
	M453-1	X176C610H01	Die block lower	DWC-F1.G.H.H'. Manul/AF
	M453-2	X184D271H06	Nozzle stopper for lower dies block	DWC-F1.G.H.H'. Manul/AF
	M453-3		Die block lower	DWC-F1.G.H.H'. Manul/AF
	M453-4		Wire guide lowr	SK
	M454	X177B046H03	Die block lower	DWC-H1.HA Manul/AF
	M454-Set		Die block set lower	DWC-H1.HA Manul/AF
	M455	X602B845G51	Lower pulley "B" complete	DWC-F.F1.G.H.H' series Manual type
	M456	X183C442H01	Lower roller	DWC-CX.SX.PA.A.Z.HA. B.H1 Manual/AF type
	M457	S859N319P33	Bearing SSRF-1970DD ID=7 mm For M456	CX.SX.PA.A.Z.HA. B.H1.PX-05
	M458	S859N319P31	Bearing SSRF-1980DD ID=8 mm For M401C.M403C.M405C.M407C.M409C	F.F1.G.H.H'.H1.HA.C.SA. SB.SZ.SX.CX.QA.FA.RA



	M459	X177B713H02	Guide block lower	DWC-90C.HA .H Manual type
	M459-Set		Guide block set lower	DWC-90C.HA Manual type
	M459-F-Set		Guide block full set lower with M453-Set Water nozzle optional assembly	DWC-90C.HA Manual type
	M459-1	X198D777H01	Cover plastic lower for AF1 type	DWC-H1.HA series
	M459-2		Fixing plate lower for manual/AF	DWC-H1.HA series
	M459-3	X198D776H01	Lower cover (Pipe holder) for manual/AF	DWC-H1.HA series
	M459-4	S913N313P11	Wave washer for M456	DWC-H1.HA.SA.SB.SZ. SX.CX Manual/AF type
	M459-5	X194D873H01	Spacer for M456	DWC-H1.HA.SA.SB.SZ. SX.CX Manual/AF type
	M459-6	S922N040P07	Retaining ring for M456	DWC-H1.HA.SA.SB.SZ. SX.CX Manual/AF type
	M459-7	X208D601H01	Guide cover	DWC-A.B.Z.CX.SX
	M460	X189D690H04	Stainless clamping for M454 OD=35 mm	DWC-HA.H1.SZ AF1
	M460-1		SUS clamping 10.5mm	H,HA, SZ





**MITSUBISHI**










	M461	X053C522G51	Pinch roller upper gear type with M463	DWC- H1.HA.SA.SB.SZ.SX.CX.FX
	M461-1		Shaft D=10x32.5mm	
	M462	X053C522G52	Feed roller upper gear type with M463	DWC- H1.HA.SA.SB.SZ.SX.CX.FX
	M463	S811N724P02	Oneway clutch type upper bearing NF-06 For M461.M462	DWC- H1.HA.SA.SB.SZ.SX.CX.FX
	M463-1		Bearing XBRRD-SSL1260ZZ Refer to our code F400	DWC- H1.HA.SA.SB.SZ.SX.CX.FX
	M464	X058D991G51	Roller	FA
	M470	X209D212H01	Holder lower for M009	DWC- H1.HA.SA.SB.SZ.SX.CX.FX AF2.AF3.AT type
	M471	X208D405H01	Holder upper for M009	DWC- HA.SA.SB.SZ.SX.CX.FX. RA.FA series AF2.AF3 type
	Me481	P421A030P00	Limit Swich	
	Me481-1	X054D027H02	Ceramic tube 2x40mm	
	Me482	X184D885H01	Pully with bearing OD60xID9x44mm	
	Me483	X054D554H01	Pully with bearing OD80xID19x20mm	













	Me484	X054D121H02	Pully with bearing OD19xID66x6mm	
	Me485	X178D933H02	Plate D=45x10x10mm	
	Me485-1	X174D199H02	Felt Break D=45x10x7mm	
	Me486		Urethane Tension Roller ID16xOD100x16mm	F/G/H/HA
	Me487		Felt Break D=70x10x8mm	
	Me488		Pully with bearing OD90xID19x20mm	SA/SX/CX/FX/FX-K/FA/QA series
	Me489		Pully with bearing OD90xID19x25mm	
	Me490C		Ceramic Tension roller OD80xID22x22mm	FA.RA series
	Me491		Pully with bearing OD90xID19x32mm	
	Me492		Urethane Roller OD103xID16x16mm	SA,SZ
	Me494		Pulley(with bearing) D=60x19x104	DWC-SB
	Me495		Pulley(with bearing) D=49x19x106	DWC-P












**MITSUBISHI**

	Me496		Pulley(with bearing) D=62x6	SK
	M501	X056C326G51	Cutter unit special for AF3 type	CX series -end period FX series
	M501-1	X058D376H01	Fixed blade tungsten carbide for M501	CX series -end period FX series
	M501-2	X203C145H04	Aspirator for cutter unit M501 Plastic material	CX series -end period FX series
	M501-3	X258D350H01	Deteccling nozzle for cutter M501	CX series -end period FX series
	M501-4	X258D168G54	Coupling for M501	CX series -end period FX series
	M501-5	X258D320G51	Pipe end for cutter unit M501	CX series -end period FX series
	M501-6	X058D503G51	Pipe holder for cutter unit M501	CX series -end period FX series
	M501-7	X254D700G52	Ceramic guide (G3 757) for M501-5	CX series -end period FX series
	M501A	X056C328G51	Cutter unit D=0.1mm wire	FX, FA
	M502	X058D186G51	Cutter unit special type for AF3 type	CX series - beginning period
	M502-1	X058D376H01	Fixed blade	CX



	M600 (M600-1)	X182B893H01	Dies block upper	FX10.FX20
	M601	X187B284H01	Dies block upper	FX-K
	M602	X181A280G51	Roller base block lower	SX Manual/AF
	M603	X181A735G51	Roller base block lower	FX.FX-K Manual/AF
	M604	X181A184G52	Guide base lower	HA AF2
	M605	X187B580H01	Dies block upper	FA
	M605 Set		Dies block upper	FA series
	M605-1		Block door	FA series
	M605-3		Block(plate)	FA series
	M605-4		Air cylinder	



	HM606A	X187B532H01	Dies block upper	RA series
	M606B	X187B532H01	Dies block upper	RA series
	Me701A	X182B995H01	Dies Block Lower	DWC-HA,SZ,SA,SX,CX
	Me701A Set		Dies Block Lower	DWC-HA,SZ,SA,SX,CX
	Me701B	X182B995H02	Dies Block Lower	DWC-FX
	Me702B Set		Dies Block Lower	DWC-FX
	Me701C	X187B621H01	Dies Block Lower	DWC-RA,FA
	Me701C Set		Dies Block Lower	DWC-RA,FA
	Me701D	X187B621H01	Dies Block Lower	DWC-FA



	Me701D Set		Dies Block Lower	DWC-FA
	Me701-1	X208D528H01	Nozzle stopper	HA300.SA.SX.CX.FX.FA AF2 type
	Me701-2	X186C819H01	Dies block cover	HA300.SA.SX.CX.FX.FA AF2 type
	Me701-3	X054D943H01	Spring 7 x 40 x 0.8 mmT	SX.CX.FX
	Me701-4		Door packing	
	Me702	X177B394G53	Dies block upper	H1.A.B.Z.SZ series AF1 type
	Me702UP	X177B394G53	Dies block upper	AF type A,B,Zseries
	Me703	X182A354G51	Guide base lower (97*74*70)	HA, SZ